CUS	STOMER'S NAME:_	
LO	Г/ЈОВ NO:	TYPE OF HOUSE
1.	FOOTINGS FOUNDAT COLUMNS	~
	GIRDERS: EXTERIOR	BASEMENT FINISH: RUB-R-WALL WATERPROOFING ON WALLS,
	EGRESS W SUPERINT	INDOW DETERMINED BY LOT GRADING AND FIELD ENANT
HAY TIM REC THE CRA	VE A TENDANCY TO IE. BUILDER WILL I COMMENDED DISTA ESE CRACKS ARE NO ACK SHOULD DEVE	Y POURED CONCRETE BASEMENT WALLS WILL D DEVELOP EXPANSION CRACKS FROM TIME TO NSTALL EXPANSION JOINTS AT THE NCES. HOWEVER, CRACKS WILL STILL DEVELOP. DT STRUCTURAL AND ARE UNCONTROLLABLE. IF A LOP IT IS BEYOND THE BUILDERS CONTROL. THE BUILDERS' RESPONSIBILITY.
2.	BROCHUI BLACK SI	ACES, 36" DIRECT VENT PRE-FAB GAS, AS PER
3.	REAR & SI SHUTTERS	ANUFACTURED STONE AND SIDING PER PLAN DES: VINYL SIDING S: AS PER FRONT ELEVATION (SEE BROCHURE) TE TRIM PACKAGE AS PER FRONT ELEVATION (SEE
4.	9' HIGH CI 8' HIGH CI	S: RIOR WALLS AND CEILING: ½" DRYWALL EILING, 1 ST FLOOR EILING, 2 ND FLOOR DUNDATION WALLS

- 5. CONCRETE WORK:
 - 4" CONCRETE GARAGE FLOOR
 - 6" PAD AT FRONT DOOR
 - 4" CONCRETE WALK FROM DRIVEWAY TO FRONT DOOR

NOTE: CONCRETE WILL BE INSTALLED IN WORKMANLIKE MANNER, BUT BUILDER WILL NOT BE RESPONSIBLE FOR CRACKING OR IMPERFECTIONS BEYOND HIS CONTROL.

6. SUB FLOORING:

MATERIAL: 3/4" TONGUE AND GROOVE ADVANTECH GLUED, NAILED AND SCREWED

7. FLOOR FRAMING:

JOIST MATERIAL: ENGINEERED I-JOIST OR AS REQUIRED BY TOWNSHIP CODE.

8. FINISHED FLOORING:

CARPET: LIVING, FAMILY ROOM, STUDY, 2ND FLOOR HALL,

BEDROOMS, AND CLOSETS.

VINYL:

LAUNDRY / MUD ROOM

HARDWOOD: (FIELD FINISHED – CHOICE OF COLOR)

KITCHEN, BREAKFAST AREA, SUN ROOM OR MORNING ROOM (IF APPLICABLE), POWDER ROOM AND FOYER, FIRST FLOOR HALL AND DINING ROOM

9. PARTITION FRAMING: (SPACED 16" ON CENTER)

STUDS: (MATERIAL): WOOD: HEMLOCK OR FIR

SIZES: 2" x 6" 1ST FLOOR EXTERIOR WALLS

2" x 6" 2ND FLOOR EXTERIOR WALLS

2" x 4" INTERIOR PARTITIONS

10. ROOF SHEATHING:

SIZE: 1/2" PLYWOOD

11. SHINGLES:

UNDERLAYMENT - #15 FELT PAPER; "LIFETIME" DIMENSIONAL SHINGLES BY GAF

12. GUTTERS AND DOWNSPOUTS:

MATERIAL: ALUMINUM

Initi	al			Ini	tial			
Z:\!f	iles\Job S	pecifications\	MAPLE	GLEN	COURT	SPECS	062315	doc.

13. FLASHING:

MATERIAL: ALUMINUM

14. WALL FINISHING:

(1) COAT OF PAINT ON ALL INTERIOR WALLS AND CEILINGS (OFF WHITE), (1) COAT OF PRIMER AND (1) COAT OF GLOSS PAINT ON WOODWORK (OFF WHITE). (IN SOME CASES, THE PRIMER COAT MAY BE APPLIED IN THE FACTORY)

15. INTERIOR DOORS AND TRIM:

TRIM: 3 1/4" COLONIAL CASING, 5 1/4" BASEBOARD.

CROWN MOLDING: 1 PIECE CROWN

MOLDING IN LIVING ROOM, DINING ROOM,

FAMILY ROOM AND POWDER ROOM

CHAIR RAIL: (1) PIECE IN DINING ROOM.

OG PICTURE MOLDING: DINING ROOM UNDER CHAIR RAIL

DOORS: 6'8" HIGH 6 PANEL MASONITE HOLLOW CORE ON FIRST

AND SECOND FLOOR. - PAINT GRADE.

DOOR HARDWARE: KWIKSET (Tylo Style – polished brass finish)

16. SASH AND EXTERIOR DOORS:

WINDOWS: VIWINCO SIGNATURE SERIES VINYL (DOUBLE HUNG)-

INCLUDES 1/2 SCREENS.GRILLES INCLUDED ON FRONT,

SIDES AND REAR - COLOR - WHITE

DOORS: (FRONT) - 6 PANEL SMOOTH FIBERGLASS DOOR AS PER

PLAN PAINTED

(REAR) – VIWINCO SIGNATURE SERIES VINYL SLIDER –

INCLUDES SCREEN AS PER PLAN.

17. CABINETRY: GATEHOUSE CABINETRY BY CENTURY KITCHENS;

INCLUDES CULTURED MARBLE VANITY TOP IN

MASTER, HALL AND/OR PRIVATE BATHS – SELECTIONS

TO BE MADE AT CENTURY KITCHENS

18. COUNTERTOPS – MASTER BATH – CULTURED MARBLE

HALL BATH OR PRIVATE BATH - CULTURED MARBLE

KITCHEN – CHOOSE FROM BUILDERS SELECTION OF GRANITE

nitial	Initial
7:\Ifiles\Ioh Specifications	MADI E CLEN COURT SPECS 062315 doc

19. APPLIANCES – GE (GAS OR ELECTRIC)

- 30" RANGE STAINLESS STEEL FINISH
- MICROWAVE STAINLESS STEEL FINISH
- DISHWASHER STAINLESS STEEL FINISH

_

- REFRIGERATOR NOT INCLUDED
- WASHER AND DRYER NOT INCLUDED

20. BATHROOMS AND ACCESSORIES:

MASTERBATH: SOAKER TUB (WHITE OR BISCUIT COLOR)

FIBERGLASS SHOWERPAN BASE OR TILE BASE (Subject to product availability based on shower base size)

STERLING WINDHAM by KOHLER ELONGATED TOILET- (WHITE OR BISCUIT COLOR)

FLAT MIRROR ON WALL ABOVE VANITY
MOEN KINGSLEY CHROME SHOWER HEAD,

TUB SPOUT AND FAUCETS

FRAMED SHOWER DOOR WITH CHROME TRIM

HALL BATH / PRIVATE BATH (S): BOOTZ STYLE TUB OR

FIBERGLASS SHOWER BASE AS PER PLAN

STERLING WINDHAM by KOHLER ROUND FRONT

TOILET- (WHITE OR BISCUIT COLOR)

FLAT MIRROR ON WALL ABOVE VANITY

MOEN CHATEAU CHROME (Lever Style) SHOWER AND

TUB SPOUT

MOEN CHATEAU CHROME (Lever Style) FAUCETS

CHROME SHOWER CURTAIN ROD

POWDER ROOM: STERLING SACRAMENTO by KOHLER PEDESTAL

SINK - (WHITE OR BISCUIT COLOR)

STERLING WINDHAM by KOHLER ROUND FRONT

TOILET- (WHITE OR BISCUIT COLOR) OVAL MIRROR ON WALL ABOVE SINK

MOEN CHATEAU CROME (Lever Style) FAUCET

TOILET PAPER HOLDERS AND TOWEL BARS NOT INCLUDED

KITCHEN: MOEN CAMERIST CHROME FAUCET

Initial	Initial
Z:\!files\Job Specifications\	MAPLE GLEN COURT SPECS 062315.doc

21. STAIRS:

BASEMENT: YELLOW PINE WITH PINE HAND RAIL-UNFINISHED

MAIN: OAK TREADS STAINED AND PINE RISERS PAINTED,

OAK HANDRAIL STAINED AND POPLAR PAINTED

SPINIOLES ON MAINLEYEL, ALL OVERLOOKS FROM

SPINDLES ON MAIN LEVEL – ALL OVERLOOKS FROM SECOND LEVEL ARE ½ WALLS W/ PAINTED WOOD CAP

REAR: YELLOW PINE CARPETED WITH OAK HANDRAIL

STAINED AND POPLAR PAINTED SPINDLES.

22. CERAMIC TILE:

HALL BATHS / PRIVATE BATH (S): 6" x 6" CERAMIC TILE, MATTE ON FLOORS AND GLOSS ON TUB WALLS TO 6' HEIGHT (WHITE OR ALMOND)

MAIN BATH: BRIXTON (CHOICE OF COLORS) OR HEATHLAND (WHITE ROCK) 12" x 12" CERAMIC TILE ON FLOORS AND 9" x 12" CERAMIC TILE ON TUB DECK AND SHOWER WALLS TO 6' HEIGHT

23. HEATING:

1 OR 2 ZONE GAS HEAT WITH CENTRAL AIR (95 %) CAPACITY SYSTEM ENGINEERED BY YORK. (THE SECOND ZONE WOULD BE 80% IF APPLICABLE, INSTALLED IN THE ATTIC, AND IS SUBJECT TO CHANGE BASED ON HOUSE STYLE AND TOWNSHIP CODES).

- 24. FIRE SUPPRESSION SYSTEM PER CODE FIRST FLOOR & SECOND FLOOR
- 25. ELECTRICAL WORK:

STANDARD BUILDERS LIGHTING PACKAGE

200 AMP SERVICE

SWITCHES AND RECEPTACLES BY TOWNSHIP CODE

CIRCUIT BREAKERS

ELECTRIC DRYER OUTLET (DRYER & CONNECTION BY BUYER)

- (5) RECESSED LIGHTS IN KITCHEN
- (3) CABLE JACKS; (3) TELEPHONE JACKS

BASIC SECURITY SYSTEM: INCLUDES (1) BASEMENT MOTION

DETECTOR, 1ST FLOOR DOORS, (1) MOTION

DETECTOR, & (1) KEYPAD.

***ANY ADDITIONAL ELECTRICAL OUTLETS OR LINES MUST BE DISCUSSED WITH ELECTRICIAN OR SECURITY CONTRACTOR AT THE SITE.

Initial	Initial
7:\Ifiles\Ioh Specifications	MADLE CLEN COLIRT SPECS 062315 doc

26. INSULATION:

MATERIAL: (FIBERGLASS) 6 1/4" BATT INSULATION (R-19) IN EXTERIOR WALLS, FOAM AND CAULK PACKAGE AT EXTERIOR PROTRUSIONS, BLOWN-IN INSULATION (R-30) IN ATTIC, R-11 FSK INSULATION 4" DOWN FROM TOP OF FOUNDATION WALLS IN BASEMENT, SOUND DAMPENING BATTS ON BATHROOOM WALLS AT PIPE LOCATIONS, LAUNDRY ROOM AND DRAIN LINES (WHERE POSSIBLE). INSULATED GARAGE WITH R-19 IN WALLS AND R-30 IN CEILING WHEN COMMON WITH LIVING SPACE. MATERIALS SUBJECT TO CHANGE BASED ON CODE REGULATIONS AT BUILDER'S DISCRETION.

27. GARAGE:

FRONT ENTRANCE, (2) CAR FRONT ENTRY SINGLE 16 FT. WIDE GARAGE DOOR STANDARD.

GARAGE DOORS: CLOPAY DOOR–COACHMAN 4 PANEL INSULATED DOOR W/ SQ24 GLASS WINDOW PANES AND GARAGE DOOR OPENER

28. PLUMBING:

ALL SUPPLY TUBING AND PVC DRAIN LINES TO MEET TOWNSHIP CODE

KITCHEN SINK (7" DEEP UNDERMOUNT STAINLESS STEEL)

BADGER ONE GARBAGE DISPOSAL 1/3 H.P.

(2) FROSTFREE FAUCETS WILL BE PROVIDED.

SEWAGE PIPE AND WATER PIPE WILL BE INSTALLED IN

ACCORDANCE WITH TOWNSHIP

SUMP PUMP

HOT WATER HEATER IS A 50 GALLON GAS HIGH EFFICIENCY LAUNDRY/UTILITY TUB IS EXCLUDED

ICE MAKER LINE IS INCLUDED (CONNECTION TO BE PROVIDED BY BUYER)

29. CLOSET SHELVING: VENTILATED VINYL

30. GRADING & LANDSCAPING:

DISTURBED AREAS OF LOTS WILL BE RAKED AND SEEDED ONE TIME ONLY, EXCEPT IN THE CASE OF WOODED LOTS. IF WORK CANNOT BE DONE IN ANY WOODED AREAS OR AMONG TREES IN WHICH EQUIPMENT CAN'T OPERATE, THE AREA WILL BE LEFT NATURAL. BUILDER WILL NOT BE RESPONSIBLE FOR DRY WEATHER OR RAINS THAT HINDER THE GROWTH OF THE LAWN. HAULING IN OR OUT OF SOIL OR FILL IS NOT INCLUDED IN THIS CONTRACT. NO GUARANTEE FOR PLANTINGS. SITE TREES PER TOWNSHIP APPROVED PLAN.

Initial	Initial
Z:\!files\Job Specifications	MAPLE GLEN COURT SPECS 062315.doc

31. DRIVEWAY:

BLACKTOP WILL BE INSTALLED FROM CURB DEPRESSION TO GARAGE DOOR. (100) SQUARE YARDS ALLOWANCE - 2 CAR GARAGE

32. RADON:

PREPARATORY PRECAUTIONS WILL BE TAKEN AGAINST POSSIBLE RADON PENETRATION WHEN CONSTRUCTING THE HOUSE. VENTILATION PIPE INSTALLED THRU THE HOUSE TO UNDERSIDE OF ROOF. VENTILATION SYSTEM AND ROOF PENETRATION NOT INCLUDED.

- 33. A 10% UP FRONT PAYMENT IS REQUIRED FOR ALL OPTIONS CHOSEN BY THE BUYER UPON APPROVAL OF THE SELECTION
- 34. IF THE NECESSARY PREPARATORY WORK IS NOT PART OF THE AGREEMENT OF SALE, BUILDER TAKES NO RESPONSIBILITY FOR FUTURE WORK BUYER MAY WANT TO DO IN REGARDS TO A FINISHED BASEMENT. BUYER MUST SPECIFY THAT THERE ARE PLANS FOR A FINISHED BASEMENT DURING THE DESIGN PROCESS IN WRITING.

DISCLOSURES

BUILDER RESERVES THE RIGHT TO AN <u>ESCALATION</u> OF THE BASE SALE PRICE SHOULD ADDITIONAL DEVELOPMENT AND CONSTRUCTION EXPENSES BE INCCURED, PRIOR TO AND DURING CONSTRUCTION OF CUSTOM HOME. IN THE EVENT THE ESCALATION IS DEEMED NECESSARY, BUYER WILL BE NOTIFIED IN WRITING OF SAID ESCALATION, AND WILL HAVE SEVEN (7) DAYS TO ACCEPT THE INCREASE. SHOULD THE INCREASE NOT BE ACCEPTED, BUYER MAY DECLARE THE AGREEMENT OF SALE NULL AND VOID, AT WHICH TIME DEPOSIT MONIES WILL BE RETURNED WITH NO LIABILITY TO EITHER PARTY.

IN SOME MODELS, CROWN MOLDING, CHAIR RAIL AND HARDWOOD FLOORING LOCATIONS MAY BE INSTALLED IN A DIFFERENT LOCATION WHEN SLOPED CEILINGS OR WHEN NO CLEAR ROOM BREAK LOCATION CAN BE ESTABLISHED – SEE BUILDERS REPRESENTATIVE FOR SPECIFIC DETAILS

SETTLEMENT DATE STATED IN AGREEMENT OF SALE IS ESTIMATED. BUILDER WILL MAKE EVERY EFFORT TO ACHIEVE THIS DATE, HOWEVER THERE IS ABSOLUTELY NO GUARANTEE. A FINAL SETTLEMENT DATE WILL BE GIVEN AT THE COMPLETION OF INTERIOR TRIM ASSUMING ALL SELECTIONS HAVE BEEN MADE BY THE BUYER AND ALL PAYMENTS FOR OPTIONS HAVE BEEN RECEIVED BY THE BUILDER.

BUYER	DATE
BUYER	DATE